

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	5	frame with relay same (atm or cell\$1) with conver\$5 same (remov\$3 or delet\$3 or subtract\$3) with head\$3	USPAT	OR	ON	2005/02/13 09:52
L5	0	atm same (aal0 or aal-0) same (aal5 or aal-5) same (remove\$3 or delet\$3 or subtract\$3) with head\$3	USPAT	OR	ON	2005/02/13 10:16
L6	0	(aal0 or aal-0) same (aal5 or aal-5) same (remove\$3 or delet\$3 or subtract\$3) with head\$3	USPAT	OR	ON	2005/02/13 10:16
L7	48	((aal0 or aal-0) or (aal5 or aal-5)) same (remove\$3 or delet\$3 or subtract\$3) with head\$3	USPAT	OR	ON	2005/02/13 10:16
L8	1	((aal0 or aal-0) or (aal5 or aal-5)) same (remove\$3 or delet\$3 or subtract\$3) with head\$3 and (aal0 or aal-0) and (aal5 or aal-5)	USPAT	OR	ON	2005/02/13 10:16
S2	79	atm with hdlc same lan	US-PGPUB; USPAT	OR	ON	2005/01/03 15:33
S3	33	atm with hdlc same lan same hub	US-PGPUB; USPAT	OR	ON	2005/02/10 12:29
S4	21	atm with hdlc same lan same hub	USPAT	OR	ON	2005/02/09 18:18
S5	0	S4 and serial and frame and cell\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 10:46
S8	15	S4 and packet\$3 with serial\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 11:10
S9	0	S8 and serial with controller\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 11:11
S10	1	atm adj2 switch with adapter\$ same adapter\$1 with serial adj2 controller\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:34

S11	1	(atm adj2 switch with adapter\$) same (adapter\$1 with serial adj2 controller\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/02 11:14
S25	0	atm with hdlc same lan same hub and serial adj20 control\$4 with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3)	USPAT	OR	ON	2005/02/09 18:20
S26	1	atm with hdlc same lan same hub and serial adj20 control\$4 with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3)	US-PGPUB	OR	ON	2005/02/09 18:20
S27	2	atm with hdlc and lan and hub and serial adj20 control\$4 with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3)	US-PGPUB	OR	ON	2005/02/09 18:42
S28	0	atm with hdlc and lan and hub and serial adj20 control\$4 with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3)	USPAT	OR	ON	2005/02/09 18:21
S29	1	atm with hdlc and lan and hub and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP)	US-PGPUB	OR	ON	2005/02/09 18:45
S30	4	atm with hdlc and lan and hub and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP)	US-PGPUB; USPAT	OR	ON	2005/02/09 18:47
S31	0	atm same hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) and (clock or counter or tim\$3) and encod\$3 and bit with multicast	US-PGPUB	OR	ON	2005/02/09 18:47
S32	1	atm same hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP)	US-PGPUB	OR	ON	2005/02/09 18:47
S33	3	atm same hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP)	USPAT	OR	ON	2005/02/09 18:48
S34	8	atm and hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP)	USPAT	OR	ON	2005/02/10 12:30
S35	8	S34 not international.as.	USPAT	OR	ON	2005/02/09 18:52

S36	2	S34 and (fcs or frame with sequenc\$3 with check)	USPAT	OR	ON	2005/02/09 18:55
S37	2	S34 and frame with check	USPAT	OR	ON	2005/02/09 18:55
S38	1	S34 and packet with check	USPAT	OR	ON	2005/02/09 18:55
S39	2	atm and hdlc and (lan or hub) and (packet\$1 or IP) adj20 (convert or translat\$3 or adapt\$3) adj40 (cell\$1 or fram\$3) and (fcs or frame with check with bit) and ("16 bits" or sixteen with bits)	USPAT	OR	ON	2005/02/09 19:03
S40	7	atm and hdlc and (packet\$1 or IP) adj20 (convert or translat\$3 or adapt\$3) adj40 (cell\$1 or fram\$3) and (fcs or frame with check with bit) and ("16 bits" or sixteen with bits)	USPAT	OR	ON	2005/02/09 19:07
S41	5	S40 not (S39 or S35)	USPAT	OR	ON	2005/02/09 19:04
S42	14	atm and hdlc and (packet\$1 or IP) adj20 (convert or translat\$3) adj40 (cell\$1 or fram\$3)	USPAT	OR	ON	2005/02/09 19:08
S43	10	S42 not (S40 or S39 or S35)	USPAT	OR	ON	2005/02/09 19:08
S44	10	S43 and hdlc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:09
S45	3	S44 and frame with check	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:09
S46	6	S44 and (frame with check or fcs or crc)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:17
S48	2	S44 and (frame with check or fcs or crc) and (serial\$ adj10 (data or packet or frame))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:18
S49	0	atm and hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) same sequenc\$3 same serial\$	USPAT	OR	ON	2005/02/10 12:30

S50	0	atm and hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) same sequenc\$3	USPAT	OR	ON	2005/02/10 12:31
S51	2	atm and hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) and sequenc\$3 same serial\$	USPAT	OR	ON	2005/02/10 13:47
S52	0	atm and hdlc and (lan or hub) and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) and sequenc\$3 same serial\$ and concate\$	USPAT	OR	ON	2005/02/10 13:48
S53	0	atm and hdlc and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) and sequenc\$3 same serial\$ and concate\$	USPAT	OR	ON	2005/02/10 13:48
S54	0	atm and hdlc and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) and sequenc\$3 same concate\$	USPAT	OR	ON	2005/02/10 13:49
S55	3	atm and hdlc and controller with (convert or translat\$3 or adapt\$3) with (cell\$1 or fram\$3) with (packet\$ or IP) and sequenc\$3 and concate\$	USPAT	OR	ON	2005/02/10 13:52
S57	283	atm same hdlc	USPAT	OR	ON	2005/02/10 17:25
S58	30	atm same hdlc and (ip or packet) with convert\$ with (fram\$3 or cell\$1)	USPAT	OR	ON	2005/02/10 14:14
S59	206	atm and (ip or packet) with convert\$ with (fram\$3 or cell\$1) and (clock or time adj10 pulse or slot or sync) same control\$4	USPAT	OR	ON	2005/02/10 14:15
S60	16	atm and (ip or packet) with convert\$ with (fram\$3 or cell\$1) and (clock or time adj10 pulse or slot or sync) same control\$4 same request\$3 same transmit\$3	USPAT	OR	ON	2005/02/10 14:24
S61	9	atm and (ip or packet) with convert\$ with (fram\$3 or cell\$1) and (clock or time adj10 pulse or slot or sync) same control\$4 same request\$3 and grant\$3 and transmit\$4	USPAT	OR	ON	2005/02/10 14:25

S62	2	S61 and (fcs or frame adj3 check)	USPAT	OR	ON	2005/02/10 14:31
S63	110	atm and scc and convert\$3	USPAT	OR	ON	2005/02/10 14:50
S64	40	S63 and serial\$4 with data	USPAT	OR	ON	2005/02/10 14:32
S65	5	S64 and (fcs or frame adj5 check) and sequenc\$3	USPAT	OR	ON	2005/02/10 14:32
S66	5	S65 and (sync or clock\$3 or tim\$3)	USPAT	OR	ON	2005/02/10 14:33
S67	4	S66 and synchron\$	USPAT	OR	ON	2005/02/10 14:33
S68	23	atm and scc with serial\$3 adj20 control\$4 and convert\$3	USPAT	OR	ON	2005/02/10 14:51
S69	2	atm and scc with serial\$3 adj20 control\$4 same convert\$3	USPAT	OR	ON	2005/02/10 14:54
S70	2	atm and scc with serial\$3 adj20 control\$4 same convert\$3 and cell\$1	USPAT	OR	ON	2005/02/10 14:54
S71	2	S70 and sync\$9	USPAT	OR	ON	2005/02/10 14:54
S72	0	S71 and frame with check\$3 and sequenc\$3	USPAT	OR	ON	2005/02/10 14:55
S73	1	S71 and sequenc\$3	USPAT	OR	ON	2005/02/10 15:48
S74	1	S71 and frame with check\$3	USPAT	OR	ON	2005/02/10 14:56
S75	0	S71 and fcs	USPAT	OR	ON	2005/02/10 14:55
S76	76	(atm or cross?bar or cross adj2 bar) adj3 switch and control\$4 with request\$3 adj10 switch and grant\$3	USPAT	OR	ON	2005/02/10 15:50
S77	16	(atm or cross?bar or cross adj2 bar) adj3 switch and control\$4 with request\$3 adj10 switch same grant\$3	USPAT	OR	ON	2005/02/10 16:07
S78	9	S77 and scheduler	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:09
S79	0	S78 and HDLC and fcs	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:09
S80	4	S78 and HDLC	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:10

S81	2	S78 and fcs	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:11
S82	2	frame with fcs same encod\$3 adj5 (("32" or "thirty two" adj2 bit\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:12
S83	2	frame with fcs same encod\$3 adj5 (("32" or "thirty two" adj2 bit\$1))	USPAT	OR	ON	2005/02/10 16:13
S84	0	frame with fcs and encod\$3 adj5 (("32" or "thirty two" adj2 bit\$1)) same parallel?to?serial	USPAT	OR	ON	2005/02/10 16:14
S85	0	frame with fcs and encod\$3 adj5 (("32" or "thirty two" adj2 bit\$1)) same parallel?to?serial	US-PGPUB; USPAT	OR	ON	2005/02/10 16:14
S86	0	(frame or cell or packet or data) with fcs and encod\$3 adj5 ("32" or "thirty two" adj2 bit\$1)) same parallel?to?serial	US-PGPUB; USPAT	OR	ON	2005/02/10 16:14
S87	41	encod\$3 adj5 ("32" or "thirty two" adj2 bit\$1)) same parallel?to?serial	US-PGPUB; USPAT	OR	ON	2005/02/10 16:17
S88	0	S87 and fcs	US-PGPUB; USPAT	OR	ON	2005/02/10 16:15
S89	0	S87 and atm	US-PGPUB; USPAT	OR	ON	2005/02/10 16:15
S90	0	S87 and hdlc	US-PGPUB; USPAT	OR	ON	2005/02/10 16:15
S91	1	encod\$3 adj5 ("32" or "thirty two" adj2 bit\$1)) and parallel?to?serial and hdlc and fcs	US-PGPUB; USPAT	OR	ON	2005/02/10 16:18
S92	9	encod\$3 adj5 ("32" or "thirty two" adj2 bit\$1)) and parallel?to?serial and fcs	US-PGPUB; USPAT	OR	ON	2005/02/10 16:21
S93	8	S92 not S91	US-PGPUB; USPAT	OR	ON	2005/02/10 16:21
S94	7	S92 not S91	USPAT	OR	ON	2005/02/10 16:21
S95	0	S94 and atm with switch	USPAT	OR	ON	2005/02/10 16:21
S96	0	encod\$3 adj10 ("32" or "thirty two" adj2 bit\$1)) and parallel?to?serial and fcs and atm with switch	US-PGPUB; USPAT	OR	ON	2005/02/10 16:23

S97	0	encod\$3 adj10 (("32" or "thirty two" adj2 bit\$1)) and parallel?to?serial and fcs and atm with switch	USPAT	OR	ON	2005/02/10 16:22
S98	7	encod\$3 adj10 (("32" or "thirty two" adj2 bit\$1)) and parallel?to?serial and fcs	USPAT	OR	ON	2005/02/10 16:22
S99	0	S98 not S93	USPAT	OR	ON	2005/02/10 16:22
S10 0	0	S98 not S94	USPAT	OR	ON	2005/02/10 16:22
S10 1	0	atm with switch with chip\$3 same controller same convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:39
S10 2	0	atm with switch with chip\$3 same controller same convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3	USPAT	OR	ON	2005/02/10 16:40
S10 3	1	atm with switch with chip\$3 and controller same convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3	USPAT	OR	ON	2005/02/10 16:41
S10 4	0	atm with switch with chip\$3 and controller same convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3 and fcs	USPAT	OR	ON	2005/02/10 16:41
S10 5	0	atm with switch with chip\$3 and controller and convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3 and fcs	USPAT	OR	ON	2005/02/10 16:41
S10 6	2	atm with switch with chip\$3 and controller and convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3	USPAT	OR	ON	2005/02/10 16:43
S10 7	52	atm with switch and controller and convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3	USPAT	OR	ON	2005/02/10 16:44

S10 8	5	(atm with switch same chip) and controller and convert\$3 with (cell\$1 or frame\$1) with (packet\$ or frame\$1) and synch\$9 and schedul\$3 and request\$3 and grant\$3	USPAT	OR	ON	2005/02/10 16:44
S10 9	3	S108 not S106	USPAT	OR	ON	2005/02/10 16:45
S11 0	0	S109 and fcs	USPAT	OR	ON	2005/02/10 16:46
S11 1	103	frame with encod\$3 same atm	USPAT	OR	ON	2005/02/10 16:46
S11 2	25	frame with encod\$3 with bits same atm	USPAT	OR	ON	2005/02/10 16:46
S11 3	2	S112 and hdlc	USPAT	OR	ON	2005/02/10 16:55
S11 4	0	S113 and fcs	USPAT	OR	ON	2005/02/10 16:46
S11 5	3	S112 and fcs	USPAT	OR	ON	2005/02/10 16:51
S11 6	34	dlci same hdlc	USPAT	OR	ON	2005/02/10 16:52
S11 7	15	dlci with hdlc	USPAT	OR	ON	2005/02/10 16:52
S11 8	2	S113 and frame with check	USPAT	OR	ON	2005/02/10 16:56
S11 9	0	S118 and "32" with bits	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:57
S12 4	6	atm same hdlc and (request with (multiply or multiplying or multiplied or encod\$3))	USPAT	OR	ON	2005/02/10 17:29
S12 5	40	atm same hdlc and (request same (multiply or multiplying or multiplied or encod\$3))	USPAT	OR	ON	2005/02/10 17:39
S12 6	0	atm same hdlc and (request same (multiply or multiplying or multiplied) with ("16" or sixteen))	USPAT	OR	ON	2005/02/10 17:31
S12 8	0	atm same hdlc and request with (multiply or multiplying or multiplied) and encod\$3 and (crosspoint or cross-adj point) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41

S12 9	0	atm and hdlc and request with (multiply or multiplying or multiplied) and encod\$3 and (crosspoint or cross adj point) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41
S13 0	0	atm and hdlc and request and (multiply or multiplying or multiplied) and encod\$3 and (crosspoint or cross adj point) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41
S13 1	0	atm and hdlc and request and encod\$3 and (crosspoint or cross adj point) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:41
S13 2	0	atm and hdlc and request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:42
S13 3	0	atm and request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:42
S13 4	6	request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:43
S13 5	4	request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant and (multiply or multiplying or multiplied)	USPAT	OR	ON	2005/02/10 17:43
S13 6	4	request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant and (multiply or multiplying or multiplied) and bit\$1	USPAT	OR	ON	2005/02/10 17:45
S13 7	6	request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant and bit\$1	USPAT	OR	ON	2005/02/10 17:46
S13 9	6	request and encod\$3 and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:47
S14 0	12	request and (crosspoint or cross adj point or cross?bar) and sync\$9 and scheduler and grant	USPAT	OR	ON	2005/02/10 17:47
S14 1	6	S140 not S139	USPAT	OR	ON	2005/02/10 17:47

S14 2	1	S141 and fcs	USPAT	OR	ON	2005/02/10 17:48
S14 3	7	370/395\$.ccls. and scc and request\$3 and grant\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:17
S14 4	5	("5737312" "6021135" "6052375" "6226264" "6324176").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 17:52
S14 5	6	370/395\$.ccls. and scc and request\$3 and grant\$3 and (memory or memories)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 17:59
S14 6	7	370/395\$.ccls. and scc and request\$3 and grant\$3 and (memory or memories or buffer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 17:59
S14 7	7	370/395\$.ccls. and scc and request\$3 and grant\$3 and (memory or memories or buffer) not hitachi.as.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 17:59
S14 8	4	370/395\$.ccls. and scc and request\$3 and grant\$3 and (memory or memories or buffer) and encod\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:06
S14 9	0	370/395\$.ccls. and scc and request\$3 and grant\$3 and (memory or memories or buffer) and encod\$3 and "5991817".pn. and frame\$1 and atm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:06
S15 0	1	370/395\$.ccls. and scc and request\$3 and grant\$3 and (memory or memories or buffer) and encod\$3 and "5991817".pn. and frame\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:11
S15 1	1	370/395\$.ccls. and ("6789130".pn. or "6516319".pn. or "6675291".pn. or "6341346".pn. or "6426953".pn.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:27
S15 2	4	("5452330" "5499235" "5841774" "5949785").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 18:12

S15 5	10	("5553083" "5574722" "6177801" "6285659" "6301241" "6389029" "6389476" "6504851" "6538994" "6587875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 18:15
S15 6	68	"370"/\$.ccls. and scc and request\$3 and grant\$3 not S143	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:18
S15 7	2	S156 and fcs and hdlc and encod\$3 and ("32" or "thirty two") with bit\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:20
S15 8	1	S156 and hdlc and encod\$3 and ("32" or "thirty two") with bit\$1 and atm with switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:20
S15 9	1	S156 and hdlc and encod\$3 with bit\$1 and atm with switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:21
S16 0	1	S156 and hdlc and encod\$3 and atm with switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:21
S16 1	1	S156 and convert\$3 with (frame or cell\$1) and encod\$3 and atm with switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 18:21
S18 3	16	(packet\$1 or frame\$1) with convert\$3 with (frame\$1 or cell\$1) same serial\$7 same concat\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:07
S18 4	11	(packet\$1 or frame\$1) with convert\$3 with (frame\$1 or cell\$1) same serial\$7 same concat\$7	USPAT	OR	ON	2005/02/11 14:11
S18 5	0	S184 and atm adj2 switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:08

S18 6	1	S184 and atm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:08
S18 7	8	(packet\$1 or frame\$1) with convert\$3 with (frame\$1 or cell\$1) with serial\$7 same concat\$7	USPAT	OR	ON	2005/02/11 14:11
S18 8	8	(packet\$1 or frame\$1) with convert\$3 with (frame\$1 or cell\$1) with serial\$11 same concat\$7	USPAT	OR	ON	2005/02/11 14:12